Quick-Reference Guide Enterprise Drives



Segi	ment	Family Platform	RPM	Model Number	Part Number	AFR/ MTBF	Capacity ¹	Inte	rface	Cache (MB)	Warranty Limited (yrs)	Options
				ST3600057SS	9FN066		600GB	SAS	6Gb/s	16	5	
				ST3600957SS ²	9PX066		600GB	SAS	6Gb/s	16	5	Encryption ²
				ST3600857SS ^{2,3}	9XJ066		600GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}
				ST3600057FC	9FN004		600GB	FC	4Gb/s	16	5	
	8	<u> </u>		ST3450857SS	9FM066		450GB	SAS	6Gb/s	16	5	
	Performance	Cheetah [®] 15K	15K	ST3450757SS ²	9PW066	0.55%	450GB	SAS	4Gb/s	16	5	Encryption ²
	irfori			ST3450657SS ^{2,3}	9XH066	1.6M hrs	450GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}
	Pe	5		ST3450857FC	9FM004		450GB	FC	4Gb/s	16	5	
				ST3300657SS	9FL066		300GB	SAS	6Gb/s	16	5	
				ST3300557SS ²	9PV066		300GB	SAS	6Gb/s	16	5	Encryption ²
				ST3300457SS ^{2,3}	9XG066		300GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}
				ST3300657FC	9FL004		300GB	FC	4Gb/s	16	5	
				ST33000650NS	95M160	0.73%	3TB	SATA	6Gb/s	64	5	
				ST33000651NS ²	9XK160		3TB	SATA	6Gb/s	64	5	Encryption ²
		Constellation® ES.2	7200	ST33000652NS ^{2,3}	9XT160		3TB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
۵				ST33000650SS	9SM260		3TB	SAS	6Gb/s	64	5	
НББ				ST33000651SS ²	9XK260		3TB	SAS	6Gb/s	64	5	Encryption ²
Ξū.				ST33000652SS ^{2,3}	9XT260		3TB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
SIS				ST32000645NS	9SM167	1.2M hrs	2TB	SATA	6Gb/s	64	5	
풉		Suo		ST32000646NS ²	9XK167		2TB	SATA	6Gb/s	64	5	Encryption ²
监		0		ST32000647NS ^{2,3}	9XT167		2TB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
Ż				ST32000645SS	9SM267		2TB	SAS	6Gb/s	64	5	
ш				ST32000646SS ²	9XK267		2TB	SAS	6Gb/s	64	5	Encryption ²
3.5-INCH ENTERPRISE				ST32000647SS ^{2,3}	9XT267		2TB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
롣				ST2000NM0011	9YZ168		2TB	SATA	6Gb/s	64	5	
<u>ις</u> .	ε			ST2000NM0031 ²	1A9168		2TB	SATA	6Gb/s	64	5	Encryption ²
က	Mainstream	n ES		ST2000NM0051 ^{2,3}	1AV168		2TB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST2000NM0001	9YZ268		2TB	SAS	6Gb/s	64	5	
				ST2000NM0021 ²	1A9268		2TB	SAS	6Gb/s	64	5	Encryption ²
				ST2000NM0041 ^{2,3}	1AV268		2TB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST1000NM0011	9YZ164		1TB	SATA	6Gb/s	64	5	
				ST1000NM0031 ²	1A9164		1TB	SATA	6Gb/s	64	5	Encryption ²
		latio	7200	ST1000NM0051 ^{2,3}	1AV164	0.73%	1TB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
		Constellation ES	7200	ST1000NM0001	9YZ264	1.2M hrs	1TB	SAS	6Gb/s	64	5	
				ST1000NM0021 ²	1A9264		1TB	SAS	6Gb/s	64	5	Encryption ²
				ST1000NM0041 ^{2,3}	1AV264		1TB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST500NM0011	9YZ162		500GB	SATA	6Gb/s	64	5	
				ST500NM0031 ²	1A9162		500GB	SATA	6Gb/s	64	5	Encryption ²
				ST500NM0051 ^{2,3}	1AV162		500GB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST500NM0001	9YZ262		500GB	SAS	6Gb/s	64	5	
				ST500NM0021 ²	1A9262		500GB	SAS	6Gb/s	64	5	Encryption ²
				ST500NM0041 ^{2,3}	1AV262		500GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}

CONTINUED 2.5-Inch HDD pg 2

1

OCTOBER 2012

Quick-Reference Guide Enterprise Drives

Segn	nent	Family Platform	RPM	Model Number	Part Number	AFR/ MTBF	Capacity ¹	Inte	erface	Cache (MB)	Warranty Limited (yrs)	Options
				ST3000653SS	9SW066	0.44% 2.0M hrs	300GB	SAS	6Gb/s	64	5	
		83		ST3000553SS	9ZZ066		300GB	SAS	6Gb/s	64	5	Encryption ²
	Performance	Savvio® 15K.3	451/	ST9300453SS ^{2,3}	9XM066		300GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
		vvio	15K	ST9146853SS	9SV066		146GB	SAS	6Gb/s	64	5	
		Sar		ST9146753SS	9ZY066		146GB	SAS	6Gb/s	64	5	Encryption ²
				ST9146653SS	9XL066		147GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
		.2		ST9146852SS	9FU066		146GB	SAS	6Gb/s	16	5	
				ST9146752SS ²	9LD066		146GB	SAS	6Gb/s	16	5	Encryption ²
		15,	15K	ST9146652SS ^{2,3}	9WZ066	0.55%	146GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}
		Savvio 15K.2	IJK	ST973452SS	9FT066	1.6M hrs	73GB	SAS	6Gb/s	16	5	
		Š		ST973352SS ²	9LC066		73GB	SAS	6Gb/s	16	5	Encryption ²
				ST973252SS ^{2,3}	9WY066		73GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}
				ST9900805SS	9TH066		900GB	SAS	6Gb/s	64	5	
				ST9900705SS ²	9VX066		900GB	SAS	6Gb/s	64	5	Encryption ²
				ST9900605SS ^{2,3}	9XS066	0.44% 2.0M hrs	900GB	SAS	6Gb/s	64	5	
				ST9900805FC	9TH004		900GB	FC	4Gb/s	64	5	
				ST9600205SS	9TG066		600GB	SAS	6Gb/s	64	5	
	Mainstream	Savvio 10K.5	10K	ST9600105SS ²	9VW066		600GB	SAS	6Gb/s	64	5	Encryption ²
				ST9600005SS ^{2,3}	9XR066		600GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST9600205FC	9TG004		600GB	FC	4Gb/s	64	5	
НББ				ST9450405SS	9TF066		450GB	SAS	6Gb/s	64	5	
표				ST9450305SS ²	9VV066		450GB	SAS	6Gb/s	64	5	Encryption ²
SE				ST9450205SS ^{2,3}	9XP066		450GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
<u> </u>				ST9450405FC	9TF004		450GB	FC	4Gb/s	64	5	
<u> </u>				ST9300605SS	9TE066		300GB	SAS	6Gb/s	64	5	
E				ST9300505SS ²	9VU066		300GB	SAS	6Gb/s	64	5	Encryption ²
				ST9300405SS ^{2,3}	9XN066		300GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
2.5-INCH ENTERPRISE				ST9300605FC	9TE004		300GB	FC	4Gb/s	64	5	
N N		Savvio 10K.4	10K	ST9600204SS	9PN066	0.44% 2.0M hrs	600GB	SAS	6Gb/s	16	5	
<u>I</u>				ST9600104SS ²	9PP066		600GB	SAS	6Gb/s	16	5	Encryption ²
<u>رن</u>				ST9600004SS ^{2,3}	9XD066		600GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}
				ST9600204FC	9PN004		600GB	FC	4Gb/s	16	5	
				ST9450404SS	9PY066		450GB	SAS	6Gb/s	16	5	
				ST9450304SS ²	9PZ066		450GB	SAS	6Gb/s	16	5	Encryption ²
				ST9450204SS ^{2,3}	9XC066		450GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}
				ST9450404FC	9PY004		450GB	FC	4Gb/s	16	5	
				ST91000640NS	9RZ168		1TB	SATA	6Gb/s	64	5	- " ^
				ST91000641NS ²	9TR168		1TB	SATA	6Gb/s	64	5	Encryption ²
				ST91000642NS ^{2,3}	9XU168		1TB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
		Constellation.2"	7200	ST91000640SS	9RZ268		1TB	SAS	6Gb/s	64	5	
				ST91000641SS ²	9TR268	0.62%	1TB	SAS	6Gb/s	64	5	Encryption ²
	Low Power			ST91000642SS ^{2,3}	9XU268	1.4M hrs	1TB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST9500620NS	9RZ164		500GB	SATA	6Gb/s	64	5	France i = -2
				ST9500621NS ²	9TR164		500GB	SATA	6Gb/s	64	5	Encryption ²
				ST9500622NS ^{2,3}	9XU164		500GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST9500620SS	9RZ264		500GB	SATA	6Gb/s	64	5	France i == 2
				ST9500621SS ²	9TR264		500GB	SAS	6Gb/s	64	5	Encryption ²
				ST9500622SS ^{2,3}	9XU264		500GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST9250610NS	9RZ162	0.62%	250GB	SATA	6Gb/s	64	5	
				ST9250611NS ²	9TR162	1.4M hrs	250GB	SATA	6Gb/s	64	5	Encryption ²
				ST9250612NS ^{2,3}	9XU162		250GB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}

CONTINUED 2.5-Inch SSD pg 3

Quick-Reference Guide

ENTERPRISE DRIVES

Segi	nent	Family Platform	NAND Flash Type	Model Number	Part Number	AFR⁴	Capacity ¹	Inter	face	Full Drive Writes/Day ⁴	Warranty Limited (yrs)	Options
SSD	Mainstream	Pulsar.2"	MLC	ST800FM0002	9XW282	0.44%	800	SAS	6Gb/s	10	5	
				ST800FM0012 ²	9XX282		800	SAS	6Gb/s	10	5	Encryption ²
RIS				ST400FM0002	9XW272		400	SAS	6Gb/s	10	5	
ERP				ST400FM0012	9XW172		400	SATA	6Gb/s	10	5	
ENTERPRISE				ST200FM0002	9XW262		200	SAS	6Gb/s	10	5	
				ST200FM0012	9XW162		200	SATA	6Gb/s	10	5	
2.5-INCH				ST100FM0002	9XW252		100	SAS	6Gb/s	10	5	
2.5				ST100FM0012	9XW152		100	SATA	6Gb/s	10	5	

- 1 One gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes when referring to hard drive capacity.
- 2 Self-Encrypting Drives (SED) and FIPS 140-2 Validated drives are not available in all models or countries. May require TCG-compliant host or controller support.
- 3 See FIPS 140-2 Level 2 Certificate at http://csrc.nist.gov/groups/STM/cmvp/documents/140-1/1401val2010.htm#1299
- 4 Data provided is based on format at 512 bytes.

New Seagate Model Number Key, Enterprise

ST 500 NM 123 1

BRAND	CAPACITY	SEGMENT	ATTRIBUTES	GENERATION
2 letters	2 to 4 digits	2 letters	3 digits, non-intelligent	1 digit, intelligent
ST = Seagate	500 = 500GB	MM = Mission-Critical, 2.5-Inch, 10K	Varies as needed, for example:	1 = 1st Generation
MX = Maxtor	1000 = 1000GB	MX = Mission-Critical, 2.5-Inch, 15K	Interface	2 = 2nd Generation
	Capacities >9999GB:	NM = Nearline, 3.5-Inch	RPM	3 = 3rd Generation
	10 = 10TB	NX = Nearline, 2.5-Inch	Cache	
	15 = 15TB	FM = SSD Mainstream	SED	
		FX = SSD Performance		

View a brief training presentation on how our model number format has changed at www.brainshark.com/seagate/ModelNumber



Seagate Partner Program Members
Visit the Sales Tools section to access the latest
product roadmap, end-of-life schedule and product
information. http://spp.seagate.com

Distributors http://direct.seagate.com EMEA SPP Support 00-800-6890-8282 US Sales Support 1-800-SEAGATE or 1-405-324-4700

Visit www.seagate.com for more information or call 1-800-SEAGATE (1-800-732-4283) © 2012 Seagate Technology Lt.C. All rights reserved. Printed in USA. Seagate, Seagate Technology and the Wave logo are registered trademarks of Seagate Technology Lt.C in the United States and/or other countries. Cheetah, Constellation.2, Pulsar, Pulsar.2 and Savvio are either trademarks or registered trademarks of Seagate Technology Lt.C or one of its affiliated companies in the United States and/or other countries. The FIPS logo is a certification mark of NIST, which does not imply product endorsement by NIST, the U.S., or Canadian governments. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In additions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors. The export of re-export of hardware or software containing encryption may be regulated by the U.S. Department of Commerce, Bureau of Industry and Security (for more information, visit www.bis.doc.gov). Seagate reserves the right to change, without notice, product offerings or specifications. OR501.17-1210US, October 2012