



DATA SHEET

Fast. Dependable. Versatile.

BarraCuda SSD



Seagate brings over 20 years of trusted performance and reliability to the Seagate® BarraCuda® SSD.



Best-fit Applications

- Desktop or all-in-one PCs
- Laptops
- Home servers

Key Advantages

Soar to new heights of performance with Seagate BarraCuda SSD providing maximum sequential read and write speeds, reaching 560/540 MB/s.

Unmatched Dependability—the new Seagate® BarraCuda® SSD is a cost-effective way to handle all your PC needs — working, playing, storing your movies and music and more.

Amazing versatility with spacious capacity options up to 2 TB lets you stay in the flow no matter how much heavy lifting and multitasking is on your plate.

SATA 6 Gb/s interface for optimal performance and compatibility with your PC or laptop.



Specifications	2 TB	1 TB	500 GB	250 GB
Product ST Model Number	ZA2000CM10002	ZA1000CM10002	ZA500CM10002	ZA250CM10002
Interface	SATA 6 Gb/s	SATA 6 Gb/s	SATA 6 Gb/s	SATA 6 Gb/s
NAND Flash Memory	3D TLC	3D TLC	3D TLC	3D TLC
Form Factor	2.5 in × 7 mm	2.5 in × 7 mm	2.5 in × 7 mm	2.5 in × 7 mm
Performance				
Sequential Read (Max, MB/s), 128 KB ^{1,2}	560	560	560	560
Sequential Write (Max, MB/s), 128 KB ^{1,2}	540	540	535	530
Random Read (Max, IOPS), 4 KB QD32 ^{1,2}	90,000	90,000	90,000	90,000
Random Write (Max, IOPS), 4 KB QD32 ^{1,2}	90,000	90,000	90,000	90,000
Endurance/Reliability				
Total Bytes Written (TB)	1067	485	249	120
Mean Time Between Failures (MTBF, hours)	1,800,000	1,800,000	1,800,000	1,800,000
Warranty, Limited (years)	5	5	5	5
Power Management				
Active Power, Average (W)	3.1	2.8	2.6	2.6
Idle Power, Average (mW)	225	221	192	185
DevSleep (mW)	5	5	5	5
Environmental				
Temperature, Operating Internal (°C)	0 to 70	0 to 70	0 to 70	0 to 70
Temperature, Non-operating (°C)	-40 to 85	-40 to 85	-40 to 85	-40 to 85
Shock, Non-operating: 0.5 ms (Gs)	1,500	1,500	1,500	1,500
Physical				
Height (mm)	7.00	7.00	7.00	7.00
Width (mm)	69.85	69.85	69.85	69.85
Depth (mm)	100.00	100.00	100.00	100.00
Weight (g)	50	50	50	50
Bulk Pack Specifications				
Carton Unit Quantity	20	20	20	20
Cartons Per Pallet/Layer	96 / 48	96 / 48	96 / 48	96 / 48
Special Features				
TRIM	Yes	Yes	Yes	Yes
S.M.A.R.T.	Yes	Yes	Yes	Yes
Halogen-free	Yes	Yes	Yes	Yes
RoHS compliance	Yes	Yes	Yes	Yes

² Performance based on CrystalDiskMark v.5.2.1 × 64 on Windows 10 host.



Ordering Information				
Specifications				
Retail Packaging	Product Dimensions	Box Dimensions	Master Carton Dimensions	Pallet Dimensions
Depth/Length (in/mm)	3.937 in/100 mm	0.944 in/24 mm	6.023 in/153 mm	47.244 in/1200 mm
Width (in/mm)	2.75 in/69.85 mm	4.291 in/109 mm	11.496 in/292 mm	39.37 in/1000 mm
Height (in/mm)	0.276 in/7 mm	6.102 in/155 mm	5.511 in/140 mm	51.968 in/1320 mm
Weight (lb/kg)	0.11 lb/0.05 kg	0.22 lb/0.1 kg	2.645 lb/1.2 kg	615.090 lb/279 kg
Quantities				
Boxes per Master Carton	10			
Master Cartons per Pallet	216			
Pallet Layers	9			

System Requirements	What's Included
---------------------	-----------------

- | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • SATA 6 Gb/s or SATA 3 Gb/s port • Windows® 10, Windows 8.1 or Windows 7 • Linux | <ul style="list-style-type: none"> • Seagate® BarraCuda® SSD |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|

Retail Pack ST Model Information						
Region	Model Number	Capacity	Limited Warranty (years)	UPC Code	EAN Code	Multi-Pack UPC
WW	ZA250CM1A002	250GB	5	763649137840	8719706019682	10763649137847
WW	ZA500CM1A002	500GB	5	763649137857	8719706019699	10763649137854
WW	ZA1000CM1A002	1 TB	5	763649137864	8719706019705	10763649137861
WW	ZA2000CM1A002	2 TB	5	763649137871	8719706019712	10763649137878

seagate.com

AMERICAS	Seagate Technology LLC 10200 South De Anza Boulevard, Cupertino, California 95014, United States, 408-658-1000
ASIA/PACIFIC	Seagate Singapore International Headquarters Pte. Ltd. 90 Woodlands Avenue 7, Singapore 737911, 65-6485-3888
EUROPE, MIDDLE EAST, AND AFRICA	Seagate Technology SAS 16-18, rue du Dôme, 92100 Boulogne-Billancourt, France, 33 1-4186 10 00

© 2019 Seagate Technology LLC. All rights reserved. Seagate, Seagate Technology, and the Spiral Logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. BarraCuda is either a trademark or registered trademark of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes; and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors, such as chosen interface and disk capacity. Complying with all applicable copyright laws is the responsibility of the user. Seagate reserves the right to change, without notice, product offerings or specifications. DS1984.4-1905 WW