



DATA SHEET

Tough. Ready. Scalable.

IronWolf 510 SSD

Built for NAS, Seagate [®] IronWolf [®] 510 delivers high-endurance performance and caching speeds of up to 3,150 MB/s — or 3 GB/s for NVMe-compatible systems. With capacities of up to 1.92 TB, it's the go-to solution for creative pros and businesses needing 24×7 multi-user storage.





Best-Fit Applications

- Tiered caching on enabled NAS
- Creative pro NAS
- Small, medium enterprise NAS



Key Advantages

Tap into the power of SSD cache tiering and make 24×7 loading for multiple users a smooth, easy process.

Easily tackle the high-endurance requirements of NAS with 1 DWPD.

Offering best-in-class performance, IronWolf 510 SSD ensures low lag and low down time in multi-user environments.

Seagate has your back in almost every situation when it comes to a failed drive with three years of Rescue Data Recovery Services.

Enjoy long-term reliability with 1.8M hours MTBF in a PCle form factor.

Choose from an extensive portfolio of capacity options including 240 GB, 480 GB, 960 GB, and 1.92 TB.





Specifications					
Capacity	1.92 TB	960 GB	480 GB	240 GB ZP240NM30001	
Standard Model	ZP1920NM30001	ZP960NM30001	ZP480NM30001		
eatures					
nterface	PCIe G3 ×4, NVMe 1.3				
NAND Flash Type	3D TLC	3D TLC	3D TLC	3D TLC	
Form Factor	M.2 2280-D2	M.2 2280-D2	M.2 2280-S2	M.2 2280-S2	
Performance					
Sequential Read (MB/s)	2.150	2.150	0.650	2,450	
Sustained, 128 KB QD32 ¹	3,150	3,150	2,650	2,450	
Sequential Write (MB/s)	850	1,000	600	290	
Sustained, 128 KB QD32 ¹	050	1,000	000	290	
Random Read (IOPS)	270,000	345,000	193,000	100,000	
QD32T4) ¹	270,000	010,000	100,000		
Random Write (IOPS)	25,000	28,000	20,000	12,000	
(QD32T4) ¹				1-,000	
Random Read (IOPS)	290,000	380,000	199,000	100,000	
(QD32T8) ¹	•				
Random Write (IOPS)	27,000	29,000	21,000	13,000	
(QD32T8)					
Endurance/Reliability					
Total Bytes Written (TB)	3,500	1,750	875	435	
Non-recoverable Read Errors per Bits Read	1 per 10E16	1 per 10E16	1 per 10E16	1 per 10E16	
Mean Time Between Failures (MTBF, hours)	1,800,000	1,800,000	1,800,000	1,800,000	
Rescue Data Recovery	3	3	3	3	
Services (years) ²		Ŭ.			
Warranty, Limited (years)	5	5	5	5	
Power Management					
Power Supply	3.3V	3.3V	3.3V	3.3V	
Active Max Average Power (W)	6.0	6.0	6.0	5.3	
Average Idle Power (W)	2.0	1.95	1.83	1.75	
Environmental					
Temperature, Operating Internal (°C)	0 to 70	0 to 70	0 to 70	0 to 70	
Temperature, Non-operating (°C)	-40 to 85	-40 to 85	-40 to 85	-40 to 85	
Shock, 0.5 ms (Gs)	1,500	1,500	1,500	1,500	
Physical					
Height (in/mm, max)	0.140 in/3.58 mm	0.140 in/3.58 mm	0.087 in/2.23 mm	0.087 in/2.23 mm	
Width (in/mm, max)	0.872 in/22.15 mm	0.872 in/22.15 mm	0.872 in/22.15 mm	0.872 in/22.15 mm	
Depth (in/mm, max)	3.16 in/80.15 mm	3.16 in/80.15 mm	3.16 in/80.15 mm	3.16 in/80.15 mm	
Weight (lb/g)	0.018 lb/8.3g	0.017 lb/8.1g	0.015 lb/6.9g	0.014 lb/6.5g	
Carton Unit Quantity	10	10	10	10	

 $^{1\ \}mathsf{Performance}\ \mathsf{data}\ \mathsf{is}\ \mathsf{based}\ \mathsf{on}\ \mathsf{testing}\ \mathsf{under}\ \mathsf{certain}\ \mathsf{workload}\ \mathsf{conditions}\ \mathsf{and}\ \mathsf{is}\ \mathsf{subject}\ \mathsf{to}\ \mathsf{change}.$

² Rescue Data Recovery Services not available in all countries. Contact your Seagate sales representative for further details. Register an IronWolf 510 SSD to activate your 3-year Rescue Services plan at seagate.com/register.





Ordering Information								
Specifications								
Retail Packaging		Box Dimensions	Master Carton Dimensions	Pallet Dimensions				
Depth/Length (in/mm)		0.944 in/24 mm	6.023 in/153 mm	48 in/1219 mm				
Width (in/mm)		4.291 in/109 mm	11.496 in/292 mm	20 in/508 mm				
Height (in/mm)		6.102 in/155 mm	5.511 in/140 mm	28 inch/706 mm				
Weight (lb/kg),		0.14 lb/0.062 kg	1.9 lb/0.88 kg	103 lb/46.34 kg				
Quantities								
Boxes per Master Carton	10							
Master Cartons per Pallet	48							
Pallet Layers	4							

System Requirements

What's Included

Windows[®] 10, Windows 8.1

• Seagate[®] IronWolf[®] 510 SSD

Linux

Region	Model Number	Capacity	Limited Warranty (years)	UPC Code	EAN Code	Multi-Pack UPC
ww	ZP1920NM30011	1.92 TB	5	763649135983	8719706018357	10763649135980
ww	ZP960NM30011	960GB	5	763649135976	8719706018340	10763649135973
ww	ZP480NM30011	480GB	5	763649135969	8719706018333	10763649135966
ww	ZP240NM30011	240GB	5	763649135952	8719706018326	10763649135959

seagate.com



© 2020 Seagate Technology LLC. All rights reserved. Seagate, Seagate Technology, and the Spiral logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. IronWolf and the IronWolf logo are either trademarks or registered trademarks of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors, such as chosen interface and disk capacity. Seagate reserves the right to change, without notice, product offerings or specifications. DS2032.3-2011GB November 2020